

Datasheet F-001AV

control valve for gas flow applications

> Introduction

Bronkhorst designed the control valve model F-001AV for gas flow applications with low flow rates and pressure rating up to 64 bar. This control valve is directly operated by a magnetic coil and is closed when de-energized (Normally Closed). Depending on flow rate and fluid the F-001AV valve allows a pressure drop of max. 4 to 40 bar (d). Together with Bronkhorst mass flow meters it offers possibilities to constitute a compact flow or pressure control loop.

> Technical specifications

Operating conditions

Max. pressure : 64 bar abs
 Operating temperature : -10...+70°C

Mechanical parts

Material (wetted parts) : stainless steel 316L or comparable
 Process connections : compression type or face seal male
 Seals / Plunger : Viton; other on request
 Leak integrity, outboard : $1 \cdot 10^{-9}$ mbar.l/s He


Electrical specifications

Valve control signal : 0...185 mA
 Coil resistance : 60 Ohm
 Max. power consumption : 2,7 Watt (15 V · 0,185 A)
 Electrical connection : cable with loose ends
 Ingress protection : IP40

Kv-values vs Max. ΔP


Kv-value (up to)	Orifice size (mm)	Coil type	ΔP max* (bar d)
4,3.10-5	0,05	LFU	40
8,4.10-5	0,07	LFU	30
1,7.10-4	0,10	LFU	30
3,3.10-4	0,14	LFU	30
6,9.10-4	0,20	LFU	30
1,5.10-3	0,30	LFU	30
2,3.10-3	0,37	LFU	30
4,3.10-3	0,5	LFU	30
8,4.10-3	0,7	LFU	24
1,7.10-2	1,0	LFU	12
2,9.10-2	1,3	LFU	8
3,9.10-2	1,5	LFU	6
5,0.10-2	1,7	LFU	5
6,6.10-2	2,0	LFU	4

* depending on flow rate (based on air)



Control Valve model F-001AV

> Dimensions (mm) and weight (kg)



Weight: 0,3 kg

Compression type	3/8" tube	
	A	
adapter 3mm OD	18.0mm	
adapter 6mm OD	18.9mm	
adapter 8mm OD	26.6mm	
adapter 10mm OD	39.7mm	
adapter 12mm OD	42.4mm	
adapter 1/16" OD	15.6mm	
adapter 1/8" OD	17.5mm	
adapter 1/4" OD	18.9mm	
adapter 3/8" OD	26.4mm	
adapter 1/2" OD	42.2mm	

Face-seal male	3/8" tube	
	A	
adapter 1/8" inlet	13.7mm	
adapter 1/4" inlet	17.6mm	
adapter 1/2" inlet	37.6mm	

NOTE: Although all specifications in this datasheet are believed to be accurate, the right is reserved to make changes without notice or obligation.



Bronkhorst®

Nijverheidsstraat 1a, NL-7261 AK Ruurlo The Netherlands
 T +31 (0)573 45 88 00 | www.bronkhorst.com E info@bronkhorst.com

Model number identification

F - N N N A V - AAA - NN - A

